

Kombiniertes Heizen



Twin Mini | Twin Slim

GIROLAMI

★★★★★ ECO DESIGN

Twin Mini



Twin Slim



Der kompakteste Scheitholz-Pelletheizer auf dem Markt

PLUS

- Heizen mit Pellets und Scheitholz
- Automatisches Umschalten zwischen den Betriebsarten
- Selbstreinigender Brenner mit Brennstoffzufuhr von unten
- Konvektionsheizung
- Silent-Mode über Fernbedienung
- Schöner Blick aufs Feuer
- Rauchrohrabgang oben
- Fernbedienung mit Temperaturfühler
- Brennkammer mit Schamottauskleidung
- Bürstenlose Motoren
- Aschenlade
- Temperverglast
- Anti-Verpuffungsschutz
- Sicherheitsvorkehrungen für Stromausfall



EN

- Both pellet and wood operation
- Automatic pellet/wood and wood/pellet passage
- Forced ventilation in a room
- Silent mode (natural convection) activated by radio control
- Self-cleaning bottom feeding system
- Wide visibility of the flame
- Upper smoke outlet
- LCD radiocontroller with temperature controller
- Combustion chamber in ceramic refractory
- Brushless loading system
- Ash drawer
- Ceramic glass
- Mechanical anti-burst valve
- Electromechanical safety device for electrical blackout

Scheitholz-Pelletheizer mit großem Vorrat

PLUS

- Heizen mit Pellets und Scheitholz
- Automatisches Umschalten zwischen den Betriebsarten
- Selbstreinigender Brenner mit Brennstoffzufuhr von unten
- Konvektionsheizung
- Silent-Mode über Fernbedienung
- Schöner Blick aufs Feuer
- Rauchrohrabgang oben
- Fernbedienung mit Temperaturfühler
- Brennkammer mit Schamottauskleidung
- Bürstenlose Motoren
- Aschenlade
- Temperverglast
- Anti-Verpuffungsschutz
- Sicherheitsvorkehrungen für Stromausfall



EN

- Both pellet and wood operation
- Automatic pellet/wood and wood/pellet passage
- Forced ventilation in a room
- Silent mode (natural convection) activated by radio control
- Self-cleaning bottom feeding system
- Wide visibility of the flame
- Upper smoke outlet
- LCD radiocontroller with temperature controller
- Combustion chamber in ceramic refractory
- Brushless loading system
- Ash drawer
- Ceramic glass
- Mechanical anti-burst valve
- Electromechanical safety device for electrical blackout

NENNLEISTUNG

Nominal heat power

6 kW

GEWICHT

Weight

155 kg

MINIMALLEISTUNG

Reduced nominal heat power

2,5 kW

RAUCHROHRABGANG

Smoke outlet

Ø 130 mm

PRODUKTMAßE

Product size

63x61

h 73 cm

PELLETVORRAT

Pellet tank capacity

15 kg

BRENNRAUMGRÖßE

Combustion chamber size

41x18

h 28 cm

NENNLEISTUNG

Nominal heat power

9,04-11,3 kW

GEWICHT

Weight

260 kg

MINIMALLEISTUNG

Reduced nominal heat power

2,5 kW

RAUCHROHRABGANG

Smoke outlet

Ø 130 mm

PRODUKTMAßE

Product size

91x39,5

h 110 cm

PELLETVORRAT

Pellet tank capacity

30 kg

BRENNKAMMERGRÖßE

Combustion chamber size

37x25

h 38 cm





Twin Mini



Twin Slim



GIROLAMI SRL

Ekoflam, Mag. Andreas Gamnig
Alois-Huber-Str. 10, 9020

WWW.GIROLAMI.EU

ECO  **DESIGN**

GIROLAMI®